

CABIN









RETREAT AND DIALOGUE


A successful flexible working space requires space for working and dialoguing in a sheltered environment. For this purpose we developed the CABIN range with open, closed and wall integrated variants.






CABIN SOFA 3-SEATER

WITH STEEL LEGS • CB-3SR-L-000-0



CABIN SOFA 2-SEATER

WITH STEEL LEGS • CB-2SR-L-000-0




CABIN SOFA 1-SEATER

WITH STEEL LEGS • CB-1SR-L-000-0


- Available with optional 3 Watt LED-spotlight integrated in back wall.
- Available with optional power socket + usb port integrated in back wall.
- Steel legs standard in black RAL 9005 or white RAL 9010 (other colours available on request).
- The CABIN SOFA is knockdown and can be assembled at location in 15 min. time.



- Including 3watt LED spotlight integrated in ceiling.
- On/off switch for lighting and ventilation integrated in side panel.
- Available with optional power socket + usb port integrated in back panel.
- Table top 18mm thick available in different finishes (see page 32).
- Steel plinth and floor cover standard in powder coated black RAL 9005.
- Adjustable feet included.
- Knockdown delivery. Installation time 30 min.



110 cm




112 cm

233 cm


CABIN PHONE BOOTH

CB-PHB-X-000-0

Length: 110cm Heigth: 233cm Depth: 112cm



140 cm



212 cm

100 cm

- Available with optional 3watt LED spotlight integrated in back wall.
- Available with optional power socket + usb port in back wall.
- Table top 18mm thick available in different finishes (see page 32).
- Steel plinth and floor cover standard in powder coated black RAL 9005.
- Adjustable feet included.
- Knockdown delivery. Installation time 30 min.



CABIN 1 PERSON CLOSED

CB-1PC-X-000-0

Length: 140 cm Heigth: 212 cm Depth: 100 cm










CABIN 2-PERSONS OPEN

CB-2FO-X-000-0

Length: 228 cm Height: 212cm Depth: 100cm

- Available with optional 3watt LED spotlight integrated in ceiling.
- Available with optional power socket + usb port in front of seat.
- Table top 18mm thick available in different finishes (see page 32).
- Steel columns, plinth and floor cover standard in powder coated black RAL 9005.
- Adjustable feet included.
- Knockdown delivery. Installation time 30 min.







CABIN 4-PERSONS OPEN

OPEN • CB-4FO-X-000-0

- Available with optional 3watt LED spotlight integrated in ceiling.
- Available with optional power socket + usb port integrated in front of seats.
- Table top 18mm thick available in different finishes (see page 32).
- Steel columns, plinth and floor cover standard in powder coated black RAL 9005.
- Adjustable feet included.
- Knockdown delivery. Installation time 30 min.



CABIN 4-PERSONS CLOSED

CLOSED • CB-4FC-X-000-0

- Available with optional 3watt LED spotlight integrated in back wall or in ceiling.
- Available with integrated LCD-screen holder on request.
- Available with optional power socket + usb port in back wall.
- Table top 18mm thick available in different finishes (see page 32).
- Steel columns, plinth and floor cover standard in powder coated black RAL 9005.
- Adjustable feet included.
- Knockdown delivery. Installation time 30 min.





CABIN 4-PERSONS CLOSED GLASS

CB-4FC-G-000-0

Length: 228 cm Height: 212 cm Depth: 136,5 cm

- Including 3watt LED spotlight integrated in ceiling.
- On/off switch for lighting and ventilation integrated in side panel.
- Available with optional power socket + usb port integrated in back panel.
- Table top 18mm thick available in different finishes (see page 32).
- Steel columns, plinth and floor cover standard in powder coated black RAL 9005.
- Adjustable feet included.
- Knockdown delivery. Installation time 30 min.





CABIN 4-PERSONS OPEN GLASS

CB-4FO-G-000-0

Length: 228 cm Height: 212 cm Depth: 137 cm

- Including 3watt LED spotlight integrated in ceiling.
- On/off switch for lighting and ventilation integrated in side panel.
- Available with optional power socket + usb port in front of seat.
- Table top 18mm thick available in different finishes (see page 32).
- Steel columns, plinth and floor cover standard in powder coated black RAL 9005.
- Adjustable feet included.
- Knockdown delivery. Installation time 30 min.








CABIN BUILT-IN 2-PERSONS

2-SEAT • CB-2BI-X-000-0

- Available with optional 3watt LED spotlight integrated in back wall.
- Available with integrated LCD mounting bracket on request.
- Available with power socket + usb port integrated in back wall.
- Table top 18mm thick available in different finishes (see page 32).
- Steel colum and floor cover standard in powder coated black RAL 9005.
- Knockdown delivery.

• ATTENTION: PLINTH + FLOOR LEVELLING NOT PROVIDED BY CONCEPTUAL.




CABIN BUILT - IN 4-PERSONS

4-SEATER • CB-4BI-X-000-0

- Available with optional 3watt LED spotlight integrated in back wall.
 - Available with integrated LCD-screen on request.
 - Available with power socket + usb port integrated in back wall.
 - Table top 18mm thick available in different finishes (see page 32).
 - Steel column and floor cover standard in powder coated black RAL 9005.
 - Knockdown delivery.
- ATTENTION: PLINTH + FLOOR LEVELLING NOT PROVIDED BY CONCEPTUAL.



TECHNICAL SPECIFICATION




NOSAG SPRINGS

Inside the seats Nosag springs increase the comfort. These metal springs protect the quality of the surface because the flexibility of the foam on top will remain longer and wrinkles in the fabric will be avoided.




FSC CERTIFICATION

Our production plant is FSC certified and operates with a network of FSC certified suppliers.



KNOCKDOWN TRANSPORT

CABIN is 'flat packed' in order to reduce the volume during transport and to guarantee they fit in the elevator. With special 'connection clickers' the different upholstered components can be assembled at location.



USE OF MATERIALS

The carcass is made of chipboard birch, plywood and flexible bent wood panels. The plint, steel legs or floor cover and column leg are made of powder coated steel. The entire product is covered with different types of polyether foam. The panels are filled with recycled cotton fiber for optimum acoustics.



FLAMABILITY

All foam in upholstered products is covered with a fire retardant membrane that meets the BS 5852 standard.

UPHOLSTERY COMBINATION OPTIONS



back in contrasting colour



cushions and back panel in contrasting colour



entire inside in contrasting colour

- All the upholstery products of Conceptual are offered in 5 different fabric price ranges.
- All quotations will be based on these 5 ranges. Different fabric ranges can be combined for the same product.
- Special fabrics can be selected on request. For technical support contact our sales department.

OPTIONAL ACCESSORIES



ROUND POWER SOCKET

Optional round power socket

- 1x power + 1x USB port
- Diameter 68 mm
- AC-PSR-X-000-0



SLIDE POWER SOCKET

- 2x power + 2x USB port + 1x HDMI port + 1x RJ45 port
- Cable 2 m
- AC-PSS-X-000-0

LIGHTING



SPOTLIGHT BACKCOVER

Optional 3 watt LED spotlight

- Rotation and tilting
- Integrated switch
- AC-SPT-B-000-0



SPOTLIGHT CEILING

Optional 3 watt LED spotlight

- including touch switch
- AC-SPT-C-000-0


POWDER COATING FINISHES




black
RAL 9005 (standard)

TABLE TOP FINISHES


A. MELAMINE



natural oak
pfleiderer R20119ML



white wash oak
pfleiderer R35013ML



white
pfleiderer RU11026VV

- Steel column leg, floor cover and plinth are standard coated in black.
- The floor cover is powder coated.
- Other top decors available on request.
- Melamine edgeband 1mm thick in equal colour.

